

INDEX MAPS.

T. 17N, R. 4E. 2nd Mer.

	142	142	142	141	140	141						
144	6	165	5	159	4	155	3	152	2	148	1	140
	164	164	159	155	151	148						
144	7	164	8	159	9	154	10	151	11	147	12	140
	164	163	158	154	151	147						
144	18	163	17	158	16	154	15	150	14	147	13	139
	163	162	157	154	150	146						
143	19	161	20	157	21	153	22	150	23	146	24	139
	161	161	157	153	149	146						
143	30	160	29	156	28	153	27	149	26	145	25	139
	160	160	156	152	149	145						
143	31	159	32	156	33	152	34	148	35	145	36	139
	137	137	137	138	138	138						

Meanders 165

T. 18N, R. 4E. 2nd Mer.

	179		178		178		178		178		177	
181	6	201	5	196	4	192	3	189	2	185	1	177
	201		200		196		192		189		184	
180	7	200	8	195	9	192	10	188	11	184	12	176
	200		199		195		192		188		184	
180	18	199	17	195	16	191	15	188	14	183	13	176
	199		199		194		191		187		183	
180	19	198	20	194	21	191	22	187	23	182	24	176
	198		198		194		190		187		182	
179	30	197	29	193	28	190	27	186	26	182	25	176
	197		197		193		190		186		181	
179	31	196	32	193	33	189	34	185	35	181	36	175
	174		174		174		173		173		173	

The figures on the lines refer to the page.

Township Lines.

Ch. 9th. South Boundary, a Connection line,
East on the S. Boundary of Sec. 31

7.20 a Hackberry 18 in. dia.

40.00 set g. sec. post from which

a — 14 in. dia. bears S 74° 49' 29" W 29 Wks. dist. 8

a Do 10 " " " N 64° E 6 " "

48.43 an Ash 24 " "

80.00 set post cor. of sec. 31 & 32 from which

a Sugar 30 in. dia. bears S 23° 49' 17" W 17 Wks. dist. 8

a Do 10 " " " N 83° E 18 " "

Over rich land

East on the S. Boundary of Sec. 32

24.10 a Hickory 20 in. dia.

40.00 set g. sec. post from which

a Hickory 7 in. dia. bears N 81° 49' 19" W 19 Wks. dist. 8

a Do 10 " " " S 62° E 34 " "

61.30 an Oak 40 " "

80.00 set post cor. of sec. 32 & 33 from which

an Oak 18 in. dia. bears N 34° 49' 3" W 3 Wks. dist. 8

a Beech 18 " " " S 34° E 13 " "

Over level land. Timber Oak, Sugar, Beech
& W. Spice

East on the S. Boundary of Sec. 33

23.70 an Ash 20 in. dia.

40.00 set g. sec. post from which

a Beech 30 in. dia. bears N 1° E 11 Wks. dist. 8

a Do 10 " " " S 45° W 12 " "

43.03 an Ash 30 " "

80.00 set post cor. of sec. 33 & 34 from which

a Poplar 40 in. dia. bears N 44° 49' 0" W 6 Wks. dist. 8

a Sugar 14 " " " S 28° E 23 " "

Over rolling land. Timber Oak, Ash, Sugar &c.

T. 17 N., R. 4 E., 2^d Mer. Ind.

Chs. 10.

East on the S. Boundary of Sec. 34

31.50 a Brook 10 Ws. wide course S

40.00 set g. sec. post from which

a Beech 14 in. dia. bears N 84 E 10 Ws. dist. 8

a Do 10 " " " S 82 W 13 " "

44.50 a Brook 10 Ws. wide course S.

64.00 a Do 15 " " " S.

68.20 a Sugar 15 in. dia.

80.00 set post cor. of sec. 34 & 35 from which

a Beech 18 in. dia. bears S 36 W 16 Ws. dist. 8

a Do 14 " " " N 15 E 22 " "

Over broken land. Timber Oak, Beech, Sugar &c.

East on the S. Boundary of Sec. 35

17.50 a Beech 20 in. dia.

40.00 set g. sec. post from which

a Beech 14 in. dia. bears N 67 W 14 Ws. dist. 8

a Cherry 14 " " " S 83 E 30 " "

53.00 a Brook 1 1/4 Ws. wide course S.

72.02 a Beech 18 in. dia.

80.00 set post cor. of sec. 35 & 36 from which

a Beech 8 in. dia. bears S 88 W 48 Ws. dist. 8

a Sugar 24 " " " N 81 E 21 " "

Over broken land. Timber Beech, Sugar &c.

East on the S. Boundary of Sec. 36

24.25 an Ash 30 in. dia.

30.01 a Brook 10 Ws. wide course N.

40.00 set g. sec. post from which

a Buckeye 8 in. dia. bears West 49 Ws. dist. 8

a Beech 30 " " " S 80 E 30 " "

80.00 set post cor. of T. 17 N., R. 4 E. 5 E. from which

a Beech 20 in. dia. bears S 84 W 39 Ws. dist. 8

a Do 10 " " " S 25 E 23 " "

Over brushy broken land.

T. T. N., R. H. Co. 2^o Mer. Ind.
 Chas. L. P.

East Boundary. Var. 5.55. E.

North on the E. Boundary of Sec. 36

4.00 a Brook 7 Ws. wide course NW

27.00 a Do 4 " " " NW

40.00 set of sec. post from which

a Hackberry 20 in. dia. bears S 20° W 31 Ws. dist. 8

a Buckeye 12 " " " N 1° W 32 " "

41.50 a creek 150 Ws. wide course SW

80.00 set post cor. of sec. 25 & 36 from which

a Beech 15 in. dia. bears S 3° E 24 Ws. dist. 8

a Do 12 " " " N 40° W 29 " "

Over broken land, Timber Beech, Ash &c.

North on the E. Boundary of Sec. 25

40.00 set of sec. post from which

a Beech 7 in. dia. bears S 1° E 5 Ws. dist. 8

a Hickory 12 " " " N 21° E 25 " "

60.05 a Sugar 18 " "

63.00 a creek 30 Ws. wide course SW

80.00 set post cor. of sec. 24 & 25 from which

a Hackberry 28 in. dia. bears S 25° E 20 Ws. dist. 8

a Hickory 8 " " " N 38° W 21 " "

Over rolling land. Timber Beech, Sugar, Oak &c.

North on the E. Boundary of Sec. 24

10.55 an Ash 30 in. dia.

40.00 set of sec. post from which

a Lym 8 in. dia. bears S 3° E 19 Ws. dist. 8

a Hickory 6 " " " S 84° W 15 " "

80.00 set post cor. of sec. 13 & 24 from which

a Hickory 7 in. dia. bears S 17° W 15 Ws. dist. 8

an Oak 16 " " " N 82° W 6 " "

Land & timber as last described.

North on the E. Boundary of Sec. 13

40.00 set of sec. post from which

T. 17 N., R. 4 E., 2^d Mer. Ind. a

Ch. Lk.

- a Beech 12 in. dia. bears S 14 W 36 Ws. dist. 8
 a Sugar 18 " " " N 31 E 18 " "
 50.04 a Hickory 18 " "
 80.00 set post cor. of sec. 12 & 13 from which
 a Hickory 13 in. dia. bears S 3 W 28 Ws. dist. 8
 a Do 8 " " " N 61 E 29 " "
 Over level land. Timber Beech, Oak, Hickory,
 & Upr. Spice
-

North on the E. Boundary of Sec. 12

- 35.08 a Hickory 18 in. dia.
 40.00 set q. sec. post from which
 a Beech 7 in. dia. bears S 65 E 6 Ws. dist. 8
 a Hickory 10 " " " S 58 W 27 " "
 80.00 set post cor. of sec. 1 & 12 from which
 a Beech 18 in. dia. bears S 7 W 26 Ws. dist. 8
 a Do 14 " " " N 37 E 43 " "
 Land & same as last described.
-

North on the E. Boundary of Sec. 1

- 40.00 set q. sec. post from which
 an Ash 15 in. dia. bears S 16 E 10 Ws. dist. 8
 an Elm 9 " " " N 75 E 9 " "
 57.72 a W. Oak 18 " "
 80.00 set temp. post for Township corner.
 81.10 to post cor. of T. 17 & 18 N., R. 4 & 5 E. from which
 a Beech 12 in. dia. bears N 53 E 24 Ws. dist. 8
 a Hornbeam 6 " " " S 14 W 5 " "
 Land, timber & same as last described.
 November 2. 1819
-

North Boundary. Var. 5.55. E.

- West on the S. Boundary of Sec. 35, T. 18 N., R. 4 E
 13.32 a Hickory 18 in. dia.
 40.00 set q. sec. post from which
 a Hickory 18 in. dia. bears N 55 W 8 Ws. dist. 8

T. 17 N., R. 4 E. 2^d Mer. Ind. a.
Chas. L. H.

an Ironwood 6 in. dia. bears S 70 E 25 lbs. dint.
51.10 a R. Oak 20 " "
80.00 set post cor. of sec. 35 & 34 from which
a Hornbeam 8 in. dia. bears N 65 W 13 lbs. dint. &
a Dogwood 8 " " " S 54 W 13 " "
Good 2^d rate land. Timber Sugar, Beech, Oak
& Wyp. Spice &c.

West on the S. Boundary of Sec. 34, T 18 N, R 4 E

5.08 an Ash 12 in. dia.

40.00 set of sec. post from which
a Hackberry 30 in. dia. bears S 72 W 20 lbs. dint. &
a Boxelder 10 " " " S 56 E 13 " "

50.50 set post on left bank of White River from which
a Maple 12 in. dia. bears N 79 E 12 lbs. dint. &
a Do 12 " " " S 65 E 10 " "

56.64 set post on right bank of White R. from which
a W. Oak 18 in. dia. bears S 80 W 9 lbs. dint. &
a Lym 16 " " " N 80 E 11 " "

November 27. 1819

60.50 an Indian trace

70.20 a Branch 6 lbs. wide runs S.

80.00 set post cor. of sec. 33 & 34 from which
a Buckeye 8 in. dia. bears S 45 W 5 lbs. dint. &
an Ash 8 " " " N 43 W 4 " "
Rich land. Timber Oak, Beech, Sugar &c.
Wyp. Spice &c.

West on the S. Boundary of Sec. 36, T 18 N, R 4 E

2.11 a B. Oak 20 in. dia.

40.00 set of sec. post from which
a Beech 20 in. dia. bears N 25 W 20 lbs. dint. &
a Do 20 " " " N 57 E 34 " "

52.70 a Hickory 18 " "

80.00 set post cor. of sec. 35 & 36 from which
a Sugar 18 in. dia. bears S 35 E 12 lbs. dint. &

(Transposed by mistake)

T. 17 N., R. 4 E. 2. Mer. Ind.

Chr. Spr.

a Beech 20 in. dia. bears N 26 E 40 Yrs. dist.
Land & rate. Timber Beech, Sugar, Ugly Spice

West on the S. Boundary of Sec. 33, T 18 N, R 4 E
8.00 a Hickory 20 in. dia.

28.00 a Branch 5 Yrs. wide runs S.

40.00 set of sec. post from which

a Buckeye 10 in. dia. bears S 30 W 14 Yrs. dist. &

an Ash 20 " " " N 89 W 22 " "

47.20 a Sugar 30 " "

59.20 a creek 30 Yrs. wide course S E

80.00 set post cor. of sec. 32 & 33 from which

a Buckeye 12 in. dia. bears N 86 W 27 Yrs. dist. &

an Elm 12 " " " N 6 E 24 " "

Land & same as last described.

West on the S. Boundary of Sec. 32, T 18 N, R 4 E
12.75 a Beech 24 in. dia.

40.00 set of sec. post from which

a Cherry 18 in. dia. bears N 28 E 18 Yrs. dist. &

a Beech 16 " " " S 40 W 39 " "

80.00 set post cor. of sec. 31 & 32 from which

a Buckeye 12 in. dia. bears N 24 W 17 Yrs. dist.

a Do 8 " " " N 71 E 10 " "

Land & same as last described.

West on the S. Boundary of Sec. 31, T 18 N, R 4 E
19.50 a Sugar 24 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 56 W 23 Yrs. dist. &

a Do 18 " " " N 35 E 31 " "

65.20 a R. Oak 30 " "

74.50 a Branch 5 Yrs. wide runs S.

78.33 Intersect W. Boundary 220 Yrs. N. of post—

set post at intersection cor. of T. 17 & 18 N, R.

3 & 4 E. from which

T. 17 N., R. 4 E. 2. Mer. Ind.^a
 Ch. Cr.

a Beech 12 in. dia. bears N 20 W 9 Ws. dist. 23
 a Do 12 " " " S 8 E 23 " "
 Land &c. same as last described.

West Boundary. Var. 5. 50. E.
 North on the E. Boundary of Sec. 30, T. 17 N., R. 3 E
 11.08 an Elm 30 in. dia.

40.00 set gr. sec. post from which

a Beech 7 in. dia. bears S 57 E 30 Ws. dist. 23
 a Do 12 " " " N 51 W 20 " "

48.50 a Brook 10 Ws. wide course W

53.00 a Sugar 20 in. dia.

80.00 set post cor. of sec. 25 & 30 from which

a Beech 10 in. dia. bears S 16 E 11 Ws. dist. 23
 an Elm 12 " " " N 10 W 10 " "

Over rich land. Timber Ash, Sugar, Walnut,
 Buckeye &c.

North on the E. Boundary of Sec. 25, T. 17 N., R. 3 E
 20.72 an Elm 20 in. dia.

40.00 a Beech 14 " " gr. sec. cor. tree from which

a Sugar 13 " " bears S 20 E 27 Ws. dist. 23
 a Do 7 " " " N 40 W 20 " "

52.49 set post on left bank of White River from which

an Elm 20 in. dia. bears S 88 W 21 Ws. dist. 23
 a Buckeye 8 " " " N E 3 " "

56.41 set post on right bank of White R. from which

a Hackberry 7 in. dia. bears S 70 W 6 Ws. dist. 23
 a Do 4 " " " S 40 E 5 " "

80.00 set post cor. of sec. 24 & 25 from which

an Oak 48 in. dia. bears S 76 W 25 Ws. dist. 23
 a Hackberry 14 " " " N 83 E 39 " "

Land &c. same as last described.

North on the E. Boundary of Sec. 24, T. 17 N., R. 3 E.

40.00 set gr. sec. post from which

T17N, R.3E, T.2. Mer. Ind.?

Chs. Lk.

a Beech 12 in. dia. bears S38W15W. dist. 8
 a Sugar 14 " " " N49E22 " "
 62.94 an Ark 18 " "
 80.00 set post cor. of sec. 13 & 24 from which
 an Ark 8 in. dia. bears S37E5W. dist. 2,
 an Elm 18 " " " N50W17 " "
 Land & same as last described.

North on the E. Boundary of Sec. 13, T17N, R3E
 18.29 a Hackberry 18 in. dia.

40.00 set of sec. post from which
 a Cherry 10 in. dia. bears S34W25W. dist. 2
 a Buckeye 14 " " " N14E6 " "
 69.22 a Walnut 18 " "

80.00 set post cor. of sec. 12 & 13 from which
 a Hickory 10 in. dia. bears S39W16W. dist. 2
 a Do 13 " " " N46W29 " "
 Land & timber same as last described.

North on the E. Boundary of Sec. 12, T17N, R3E
 25.14 a Sugar 24 in. dia.

40.00 set of sec. post from which
 a Beech 10 in. dia. bears N86W15W. dist. 2
 a Hickory 8 " " " N32E15 " "
 60.00 a W. Oak 24 " "

80.00 set post cor. of sec. 10 & 12 from which
 a Beech 10 in. dia. bears S9E38W. dist. 2
 a Do 10 " " " N6E35 " "
 Over good farming land. Timber same

North on the E. Boundary of Sec. 1, T17N, R3E
 9.90 a Beech 14 in. dia.

40.00 set of sec. post from which
 an Elm 24 in. dia. bears S9W16W. dist. 2
 a Beech 8 " " " N74E23 " "
 50.42 an Oak 22 " "

Long

T. 17 N., R. 4 E. 2. Mer. Ind. a.

Chas. E. S.

74.50 a Creek 25 Mts. wide course NE

80.00 set temp. post for Township corner.

Over rolling land. Timber Beech, Sugar, Ash,
Hickory, Spice &c. November 1. 1819

John M. Donald

Deputy Surveyor.

Subdivision.

North between Sec. 35 & 36

19.00 Fall Creek 100 Mts. wide course SW

30.40 a B. Oak 30 in. dia.

40.00 set gr. sec. post from which

a W. Oak 12 in. dia. bears S 62 E 10 Mts. dist. 8

a Cherry 4 " " " S 9 W 8 " "

40.00 a Hickory 12 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

an Ash 12 in. dia. bears East 15 Mts. dist. 8

a Do 12 " " " S 31 W 25 " "

Land State broken near the creek.

Timber Ash, Sugar, Oak &c.

East on Random between Sec. 25 & 36

40.00 set temp. gr. sec. post

00.00 a Stream 25 Mts. wide course S.

81.00 Intersect Co. Boundary 20 Mts. S. of post -

Land State very hilly. Timber Oak, Beech,
Hickory &c. Upr. Spice, Brush &c.

West Corrected between Sec. 25 & 36

40.50 set gr. sec. post at aver. dist. from which

a Beech 10 in. dia. bears N 67 W 6 Mts. dist. 8

a Do 7 " " " South 25 " "

81.00 to sec. cor.

North between Sec. 25 & 26

13.50 a B. Oak 30 in. dia.

T. 17 N., R. 4 E., T. 2 Mer. Ind.^a

Elev. 210?

40.00 set of sec. post from which
an Ash 12 in. dia. bears N 88 E 15 W. dist. 2
a Beech 12 " " " S 33 W 27 " "

54.28 a W. Oak 14 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which
a Sugar 12 in. dia. bears S 5 W 45 W. dist. 2
a Beech 12 " " " N 6 E 12 " "
Land flat. Timber Oak, Beech &c.

East on Random between Sec. 24 & 25

40.00 set temp. of sec. post

81.12 Intersect E. Boundary 50 W. S. of post—
Land level 2nd rate. Timber Beech, Oak &c.

West Connected between Sec. 24 & 25

40.56 set of sec. post at aver. dist. from which
a Beech 14 in. dia. bears N 74 E 47 W. dist. 2
a W. Oak 12 " " " S 31 W 40 " "

81.12 to sec. cor.

North between Sec. 23 & 24

25.82 a Beech 14 in. dia.

40.00 set of sec. post from which
an Ash 10 in. dia. bears N 16 E 37 W. dist. 2
a Do 14 " " " S 22 W 30 " "

47.10 a Beech 14 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which
a Beech 12 in. dia. bears N 23 E 22 W. dist. 2
a Do 24 " " " S 55 E 24 " "
Land 2nd rate of flat. Timber Beech, Oak,
Hickory, Elm &c.

East on Random between Sec. 13 & 24

40.00 set temp. of sec. post

81.50 Intersect E. Boundary 20 W. S. of post—
Land flat. Timber as before

147

T. 17 N., R. 4 E. 2^d Mer. Ind.?
Ch. Sp?

West Connected between Sec. 13 & 24

40.75 set of sec. post at aver. dist. from which
a Ash 12 in. dia. bears N 35 E 10 W. dist. 8

a Beech 10 " " " N 78 W 3 " "

81.50 to sec. cor.

North between Sec. 13 & 14

27.26 a Beech 12 in. dia.

40.00 set of sec. post from which

a Sugar 10 in. dia. bears N 39 W 15 W. dist. 8

a Beech 14 " " " S 13 W 7 " "

69.20 a Beech 12 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Beech 10 in. dia. bears N 26 E 16 W. dist. 8

a Do 12 " " " S 2 E 26 " "

Land flat & 2^d rate. Timber much as before

East on Random between Sec. 12 & 13

40.00 set temp. of sec. post

81.60 Intersect E. Boundary 50 W. S. of post

Land flat & 2^d rate

West Connected between Sec. 12 & 13

40.80 set of sec. post at aver. dist. from which

a Beech 14 in. dia. bears S 18 E 13 W. dist. 8

a Poplar 36 " " " S 47 W 13 " "

81.60 to sec. cor.

North between Sec. 11 & 12

18.55 a Hickory 12 in. dia.

40.00 set of sec. post from which

a W. Oak 20 in. dia. bears N 18 E 4 W. dist. 8

a Do 14 " " " S 52 E 17 " "

60.50 a B. Oak 30 " "

78.00 a Stream 5 W. wide course W

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

T. 17 N., R. 4 E., 2^d Mer. Ind.
Ch. 1st

a Beech 5 in. dia. bears N 30° W 18 Ws. dist. 2
a Do 4 " " " N 46° E 18 " "
Land 2^d rate. Timber Beech, Oak &c.

East in Random between Sec. 1 & 12

18.00 at stream 5 Ws. wide course SW
40.00 set temp. gp. sec. post
81.55 Intersect E. Boundary at post—
Land flat & 2^d rate

West Connected between Sec. 1 & 12

40.7 1/2 set gp. sec. post at aver. dist. from which
a Beech 12 in. dia. bears N 6° E 22 Ws. dist. 8
a Do 16 " " " S 63° E 35 " "
81.55 to sec. cor.

North between Sec. 1 & 2

21.00 a Sugar 20 in. dia.
40.00 set gp. sec. post from which
a Beech 10 in. dia. bears N 66° E 15 Ws. dist. 8
a Do 12 " " " S 49° W 31 " "
43.50 a Beech 14 " "
82.96 Intersect N. Boundary 175 Ws. W. of post—
set post at intersection cor. of sec. 1 & 2 from which
a Beech 10 in. dia. bears N 20° E 20 Ws. dist. 8
a Do 4 " " " S 50° E 15 " "
Land 2^d rate. Timber Beech &c.

North between Sec. 34 & 35

12.32 a W. Oak 36 in. dia.
34.10 a spring branch course SW
40.00 set gp. sec. post from which
a Beech 4 in. dia. bears N 38° W 7 Ws. dist. 8
an Ash 14 " " " S 9° E 10 " "
54.90 a Do 24 " "
80.00 set post cor. of sec. 26, 27, 34 & 35 from which

T. 17 N., R. 4 E., S. 2. Mer. Ind. a
Chr. Lk.

a W. Oak 18 in. dia. beam S 54 W 40 Wks. dist. 8
a Lym 18 " " S 48 E 4 " 5
Land 2^d rate, Timber Oak, Beech &c.

East on Random between Sec. 26 & 35

40.00 set temp. gr. sec. post

75.15 Intersect N & S. line 18 Wks. S. of post—
Land 2^d rate. Timber Beech &c.

West Corrected between Sec. 26 & 35

37.57^h set gr. sec. post at aver. dist. from which

a Beech 8 in. dia. beam S 59 W 19 Wks. dist. 8

an Ash 14 " " " N 60 W 23 " 5

75.15 to sec. cor.

North between Sec. 26 & 27

3.63 a W. Oak 50 in. dia.

11.50 a Stream 5 Wks. wide course SW

40.00 set gr. sec. post from which

a Beech 12 in. dia. beam N 73 E 35 Wks. dist. 8

an Ash 3 " " " S 73 W 20 " 5

51.20 an Ash 18 " 5

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a Dogwood 4 in. dia. beam N 57 W 10 Wks. dist. 8

an Ash 14 " " " S 52 E 15 " 5

Land 2^d rate level & flat. Timber Oak, Beech,
Ash, Upr. Spice

East on Random between Sec. 23 & 26

40.00 set temp. gr. sec. post

75.00 Intersect N & S. line at post—
Land level & 2^d rate

West Corrected between Sec. 23 & 26

37.50 set gr. sec. post at aver. dist. from which

an Ash 14 in. dia. beam S 60 W 10 Wks. dist. 8

T 17 N., R. 4 E. 2. Mer. Ind.?

Chr. No?

a Beech 12 in. dia. bears N 61 E 28 W. dist.
75.00 to sec. cor.

North between Sect. 22 & 23

12.96 a Beech 12 in. dia.

40.00 set gr. sec. post from which
an Ash 12 in. dia. bears N 74 E 7 W. dist. 8
a Beech 12 " " " N 69 W 12 " "

63.34 a Beech 14 " "

80.00 set post cor. of sect. 14, 15, 22 & 23 from which
an Ash 18 in. dia. bears N 50 E 23 W. dist. 8
a Beech 18 " " " N 36 E 21 " "
Land level & 2. rate

East on Random between Sect. 14 & 23

40.00 set temp. gr. sec. post

74.80 Intersect N & S. line 18 W. N. of post—
Land 2. rate.

West Connected between Sect. 14 & 23

37.40 set gr. sec. post at arcc. dist. from which
a Beech 12 in. dia. bears N 28 E 28 W. dist. 8
a Do 24 " " " N 68 W 26 " "

74.80 to sec. cor.

North between Sect. 14 & 15

10.15 a Poplar 30 in. dia.

33.50 a Stream 5 W. wide course W.

40.00 set gr. sec. post from which
a Beech 12 in. dia. bears N 28 W 28 W. dist. 8
a Do 12 " " " S 15 E 15 " "

54.75 an Ash 20 " "

80.00 set post cor. of sect. 10, 11, 14 & 15 from which
a Beech 10 in. dia. bears N 10 W 24 W. dist. 8
a Do 14 " " " S 25 W 11 " "
Land level 2. rate.

T. 17 N., R. 4 E. 2^d Mer. Ind.^a
Chas. L. W.

75.00 to sec. cor.

North between Sec. 2 & 3

7.00 a Stream 100 yds. wide course NW

23.15 a Poplar 30 in. dia.

40.00 set of sec. post from which

a Sugar 14 in. dia. bears N 45° W 60 yds. dist. &

an Ash 20 " " " N 73° E 15 " "

58.80 a Beech 14 " "

83.28 Intersect N. Boundary 328 yds. E. of post —

set post at intersection cor. of sec. 2 & 3 from which

a Buckeye 4 in. dia. bears N 29° W 50 yds. dist. &

a Hickory 16 " " " S 23° E 14 " "

Land level 2^d rate. Timber Oak, Beech, Elm,

Sugar &c.

North between Sec. 33 & 34

8.50 an Ash 14 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears S 40° E 23 yds. dist. &

a Do 12 " " " S 31° W 10 " "

63.89 a Beech 10 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Beech 14 in. dia. bears N 6° W 14 yds. dist. &

a Sugar 10 " " " S 24° E 4 " "

Land level 2^d rate. Timber Beech, Oak, Sugar &c.

East on Random between Sec. 27 & 34

40.00 set temp. of sec. post

80.43 Intersect N.E. line 17 yds. E. of post —

Land 2^d rate, timber as before

West Connected between Sec. 27 & 34

40.21 1/2 set of sec. post at aver. dist. from which

a Beech 14 in. dia. bears N 41° E 17 yds. dist. &

a Do 10 " " " N 23° W 10 " "

T. 17 N., R. 4 E. 2^d Mer. Ind^aCh^a. Sh^a.

80.43 to sec. cor.

North between Sec^s. 27 & 28

23.69 a Hickory 10 in. dia.

40.00 set gr. sec. post from which

a Beech 12 in. dia. bears N 71 E 9 Ms. dist. 3

a Do 12 " " " S 27 W 27 " "

48.50 an Ash 14 " "

54.00 a Stream 10 Ms. wide course NW

80.00 set post cn. of sec^s. 21, 22, 27 & 28 from which

a Beech 12 in. dia. bears N 20 W 14 Ms. dist. 3

a Hickory 12 " " " S 26 E 27 " "

Land 2^d rate. Timber Beech, &East on Random between Sec^s. 22 & 27

10.40 a Stream 5 Ms. wide course SW

40.00 set temp. gr. sec. post

80.30 Intersect N. S. line 5 Ms. S. of post—

Land 2^d rate. Timber Beech, Oak &West Connected between Sec^s. 22 & 27

40.15 set gr. sec. post at aver. dist. from which

a Sugar 20 in. dia. bears S 86 E 27 Ms. dist. 3

a Spruce 7 " " " S 76 W 25 " "

80.30 to sec. cor.

North between Sec^s. 21 & 22

13.57 a Beech 16 in. dia.

40.00 set gr. sec. post from which

a Beech 8 in. dia. bears S 56 E 6 Ms. dist. 3

a Do 18 " " " S 48 W 39 " "

65.22 a Beech 10 " "

80.00 set post cn. of sec^s. 15, 16, 21 & 22 from which

a Beech 7 in. dia. bears N 16 W 6 Ms. dist. 3

a Do 8 " " " S 17 W 9 " "

Land 2^d rate. Timber Beech, Oak, Sugar &

T. 17 N., R. 4 E., T. 2 Mer. Ind. a

Elev. 100?

East on Random between Sec. 15 & 22

40.00 set temp. of sec. post

80.20 Intersect N & S line 10 Ws. E. of post -
Land flat & 2^d rate.

West Connected between Sec. 15 & 22

40.10 set of sec. post at aver. dist. from which
a Sugar 7 in. dia. bears N 9 E 12 Ws. dist. 3
a Beech 12 " " " S 44 E 10 " "

80.20 to sec. cor.

North between Sec. 15 & 16

3.00 a Stream 5 Ws. wide course SW

13.71 a Beech 12 in. dia.

40.00 set of sec. post from which

a Sugar 14 in. dia. bears N 8 E 14 Ws. dist. 3

a Beech 4 " " " S 29 E 10 " "

77.00 a Stream 10 Ws. wide course W.

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Beech 12 in. dia. bears N 73 E 20 Ws. dist. 3

a Hornbeam 4 " " " N 40 W 30 " "

Land 2^d rate. Timber Beech, Oak &c.

East on Random between Sec. 10 & 15

3.75 a Stream 10 Ws. wide course SW

40.00 set temp. of sec. post

80.30 Intersect N & S line at post -
Land 2^d rate.

West Connected between Sec. 10 & 15

40.15 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 38 E 23 Ws. dist. 3

a Do 12 " " " S 67 W 15 " "

80.30 to sec. cor.

North between Sec. 9 & 10

T. 17 N., R. 4 E. 2. Mer. Ind. a

Chs. Sh.

- 28.81 a Beech 14 in. dia.
 40.00 set g. sec. post from which
 a Beech 9 in. dia. bears N 55 E 19 W. dist. 2,
 a Do 6 " " " S 80 W 14 " "
 54.05 a Beech 12 " "
 66.50 a Stream 5 Ws. wide course SW
 73.00 set post on left bank of White River from which
 a Buckeye 12 in. dia. bears West 2 Ws. dist. 3
 a Do 16 " " " N 45 E 16 " "
 80.00 set post cor. of sec. 3, 4, 9 & 10 on right bank of
 White River from which
 a Boxelder 10 in. dia. bears N 47 E 4 Ws. dist. 3
 a W. Oak 12 " " " West — " "
 Land 1st rate. Timber Ash, Buckeye, Hackberry &c.

East or Random between Sec. 3 & 10

- 10.50 set post on left bank of White River from which
 a Beech 4 in. dia. bears N 64 E 15 Ws. dist. 2,
 a Do 4 " " " S 70 W 4 " "
 23.50 as spring branch course NW
 80.50 Intersect N. & S. line at post — Land 2nd rate

West corrected between Sec. 3 & 10

- 40.25 set g. sec. post at aver. dist. from which
 a Sugar 12 in. dia. bears N 54 E 2 Ws. dist. 2,
 a Beech 14 " " " N 66 W 13 " "
 80.50 to sec. cor.

North between Sec. 3 & 4

- 26.16 a Beech 14 in. dia.
 40.00 set g. sec. post from which
 a Sugar 12 in. dia. bears S 78 W 23 Ws. dist. 3
 a Do 20 " " " S 9 E 20 " "
 48.70 an Ash 12 " "
 63.00 a Stream 15 Ws. wide course SE
 83.50 Intersect N. Boundary 320 Ws. E. of post —

T. 17 N., R. 4 E. 2. Mer. Ind. a

Ch² 210?

set post at intersection cor. of sec. 30 & 4 from wh.
a Sugar 14 in. dia. bears N 57° W 40 krs. dist. 3
a Do 14 " " " N 43° E 14 " "
Land first rate

North between Sec. 32 & 33

9.50 an Ark 12 in. dia.
40.00 set q. sec. post from which
a Beech 12 in. dia. bears N 53° E 30 krs. dist. 3
a Do 10 " " " S 63° W 27 " "
57.50 a Hickory 12 " "
80.00 set post cor. of sec. 28, 29, 32 & 33 from which
a Beech 12 in. dia. bears N 50° E 27 krs. dist. 2
a Hickory 12 " " " S 78° W 28 " "
Land 2^d rate. Timber Beech, Oak, Ark &c.
Uls. Spice brush

East on Random between Sec. 28 & 33

40.00 set temp. q. sec. post
80.60 Intersect N & S line 133 krs. S. of post
Land flat 2^d rate & full of brush

West Corrected between Sec. 28 & 33

40.30 set q. sec. post at aver. dist. from which
a Beech 10 in. dia. bears N 70° W 15 krs. dist. 2
a Do 12 " " " N 87° E 17 " "
80.60 to sec. cor.

North Between Sec. 28 & 29

11.84 a Hickory 12 in. dia.
40.00 set q. sec. post from which
a Beech 10 in. dia. bears S 59° E 4 krs. dist. 3
an Ark 12 " " " S 82° W 9 " "
45.00 a Do 20 " "
48.00 a Stream 5 krs wide course W
55.60 a Sugar 18 in. dia.

T 17 N., R. 4 E. 2. Mer. Ind. a.

Ch. 2. 10.

80.00 set post cor. of sec. 20, 21, 28 & 29 from which
 a Beech 20 in. dia. bears S 38 E 4 1/2 M. dist. 3
 a Do 10 " " " S 45 W 15 " "
 Land 1st rate. Timber Beech, Sugar, Ash &c.

East on Randon between Sec. 21 & 28

40.00 set temp. of sec. post

80.00 Intersect N. S. line 90 M. S. of post—
 Land 2^d rate.

West Connected between Sec. 21 & 28

40.30 set of sec. post at aver. dist. from which
 a Beech 18 in. dia. bears N 35 E 8 M. dist. 3
 a Hickory 12 " " " S 25 E 35 " "

80.00 to sec. cor.

North between Sec. 20 & 21

11.02 a Beech 14 in. dia.

40.00 set of sec. post from which
 a Beech 6 in. dia. bears N 33 W 20 M. dist. 3
 a Do 4 " " " N 48 E 19 " "

05.40 an Ash 16 " "

80.00 set post cor. of sec. 10, 17, 20 & 21 from which
 an Elm 14 in. dia. bears N 64 E 26 M. dist. 3
 an Ash 12 " " " S 12 W 40 " "
 Land first rate. Timber B. Walnut, Ash &c.

East on Randon between Sec. 10 & 21

40.00 set temp. of sec. post

80.40 Intersect N. S. line 40 M. S. of post—
 Land 2^d rate.

West Connected between Sec. 10 & 21

40.20 set of sec. post at aver. dist. from which
 a Beech 10 in. dia. bears N 61 E 8 M. dist. 3
 a Do 4 " " " S 57 E 9 " "

T. 17 N., R. 4 E. 2^d Mer. Ind.^a
Ch. Lk.

80.40 to sec. cor.

North between Sec. 16 & 17

18.50 set post on left bank of White River from which
a Hackberry 16 in. dia. bears N 38° W 15¹/₂ M., dist. 8
a Do 12 " " " S 20° E 5 " "

24.38 set post on right bank of White River from which
a Boxelder 20 in. dia. bears South 8¹/₂ M., dist. 8
a Hackberry 16 " " " N 29° W 25 " "

40.00 set gr. sec. post from which
a Beech 10 in. dia. bears N 87° E 17¹/₂ M., dist. 8
a Sugar 20 " " " S 30° W 56 " "

62.44 a Beech 18 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which
a Beech 10 in. dia. bears N 62° E 7¹/₂ M., dist. 8
a Do 7 " " " S 7° W 44 " "
Land first rate.

East on Random between Sec. 9 & 16

40.00 set temp. gr. sec. post

51.20 set post on right bank of White River from which
a Sugar 20 in. dia. bears East 8¹/₂ M., dist. 8
a Do 17 " " " S 17° E 28 " "

55.80 set post on left bank of White River from which
a Boxelder 12 in. dia. bears East 7¹/₂ M., dist. 8
a Hackberry 6 " " " N 94° W 27 " "

80.30 Intersect N & S. line at post.

First half mile 2^d rate, last half mile 1st rate.
Timber Sugar, Hackberry, Buckeye &c.

West Connected between Sec. 9 & 16

40.15 set gr. sec. post at aver. dist. from which
a Beech 14 in. dia. bears N 88° W 36¹/₂ M., dist. 8
a Do 14 " " " S 65° E 20 " "

80.30 to sec. cor.

159

T. 17 N., R. 4 E. 2. Mer. Ind.

Chas. E. H.

North between Secs. 8 & 9

7.50 a Beech 20 in. dia.

40.00 set of sec. post from which

an Elm 30 in. dia. bears N 51 E 27 1/2 Mts. dist. 8

a Boxelder 8 " " " N 34 W 12 " "

68.00 a Sugar 20 " "

80.00 set post cor. of secs. 4, 5, 8 & 9 from which

an Elm 14 in. dia. bears N 45 W 32 Mts. dist. 8

a Beech 6 " " " S 88 E 18 " "

Land 1st rate River bottom. Buckeye, Hackberry &c.

East in Random between Secs. 4 & 9

40.00 set temp. of sec. post

80.37 Intersect N. S. line at post —

Land 1st rate Bottom. Buckeye, Hackberry &c.

West Connected between Secs. 4 & 9

40.18 1/2 set of sec. post at aver. dist. from which

a W. Oak 12 in. dia. bears S 45 E 20 Mts. dist. 8

a Beech 8 " " " N 56 E 42 " "

80.37 to sec. cor.

North between Secs. 4 & 5

31.32 a W. Oak 12 in. dia.

40.00 set of sec. post from which

a Sugar 18 in. dia. bears N 40 W 23 Mts. dist. 8

a Hickory 7 " " " S 9 W 28 " "

49.62 a Cherry 14 " "

83.80 Intersect N. Boundary 300 Mts. E. of post —

set post at intersection cor. of secs. 4 & 5 from which

a Beech 14 in. dia. bears N 88 E 3 Mts. dist. 8

a Do 12 " " " S 37 W 34 " "

Land 1st rate. Timber Beech, Sugar &c.

North between Secs. 31 & 32

18.40 a Beech 20 in. dia.

T. 17 N., R. 4 E. 2. Mer. Ind.^aCh. 1st Sec.

40.00 set of sec. post from which
 a Hackberry 14 in. dia. bears N 72 E 9 1/2 Ws. dist. 23
 a Sugar 4 " " " S 30 E 10 " "
 Land T. rate

58.77 an Ark 24 in. dia.

80.00 set post cor. of sec. 29, 30, 31 & 32 from which
 an Ark 8 in. dia. bears N 81 E 13 1/2 Ws. dist. 23
 a B. Oak 20 " " " S 26 W 31 " "
 Land T. rate. Timber Walnut, Buckeye &

East on Random between Sec. 29 & 32

40.00 set temp. of sec. post

80.68 Intersect N & S line 45 Ws. N. of post -
 Land 2^d rate. Timber Beech &

West Corrected between Sec. 29 & 32

40.34 set of sec. post at aver. dist. from which
 a Sugar 6 in. dia. bears N 33 W 21 Ws. dist. 23
 a Do 16 " " " S 27 E 13 " "

80.68 to sec. cor.

West between Sec. 30 & 31

40.00 set of sec. post from which
 a Hickory 10 in. dia. bears S 83 W 3 Ws. dist. 23
 a Hackberry 6 " " " N 70 E 25 " "

80.50 Intersect W. Boundary at post -
 Land 2^d rate. Timber Beech, Oak, Hickory &

North between Sec. 29 & 30

27.00 a Spring branch. course SN

33.53 a W. Oak 18 in. dia.

40.00 set of sec. post from which
 an Ark 20 in. dia. bears N 19 E 21 Ws. dist. 23
 a Do 20 " " " S 78 W 28 " "

58.12 a Hickory - " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

T. 17 N., R. 4 E. 2^d Mer. Ind.^a
 Ch. Ch.

a Sugar 24 in. dia. bears N 33° W 24 Ws. dist. 3
 a Beech 4 " " " S 15° E 20 " "
 Land flat swampy & 2^d rate.

East on Random between Sec. 20 & 29

40.00 set temp. of sec. post

81.00 Intersect N & S line 75 Ws. N. of post—

Land 1st rate. Timber Ash, Elm, Walnut, Hackberry &

West Corrected between Sec. 20 & 29

40.50 set of sec. post at aver. dist. from which

a Beech 14 in. dia. bears S 62° E 27 Ws. dist. 3

a Sugar 30 " " " N 28° W 28 " "

81.00 to sec. cor.

West between Sec. 19 & 30

36.50 set post on left bank of White River from which

a Boxelder 10 in. dia. bears S 4° E 4 Ws. dist. 3

a Hackberry 6 " " " N 40° W 4 " "

40.00 set of sec. post in River from which

an Elm 10 in. dia. bears S 82° E 61 Ws. dist. 3

an Ash 20 " " " N 83° E 73 " "

40.64 set post on right bank of White R. from which

an Elm 10 in. dia. bears N 32° E 8 Ws. dist. 3

an Ash 20 " " " S 45° W 12 " "

80.40 Intersect W. Boundary at post—

Land 1st rate. Timber Beech, Walnut, Ash &

North between Sec. 19 & 20

16.62 a B. Walnut 30 in. dia.

40.00 set of sec. post from which

a B. Walnut 5 in. dia. bears N 30° W 5 Ws. dist. 3

a Hackberry 4 " " " S 4° E 4 " "

47.16 set post on left bank of White R. from which

a W. Oak 14 in. dia. bears North 2 Ws. dist. 4

a Beech 6 " " " S 15° W 3 " "

T. 17 N., R. 4 E. 2. Mer. Ind. a.

Ch. 9th

51.50 set post on right bank of White R. from which
a Redbud 6 in. dia. bears N 65° W 12 Ws. dist. 2
a Hackberry 12 " " " N 29° W 23 " "

80.00 set post on. of sec. 17, 18, 19 & 20 from which
a Beech 20 in. dia. bears S 7° E 27 Ws. dist. 2
a Do 5 " " " N 85° E 19 " "

Last half mile T. rate. Timber Buckeye,
Ash, Walnut

East on Random between Sec. 17 & 20

15.70 set post on right bank of White R. from which
a Beech 14 in. dia. bears S 31° E 12 Ws. dist. 2
a Buckeye 12 " " " N 36° W 24 " "

21.00 set post on left bank of River from which
an Ash 7 in. dia. bears S 57° E 10 Ws. dist. 2
a Boxelder 4 " " " N 22° E 38 " "

56.50 set post on left bank of River from which
a Hackberry 14 in. dia. bears N 55° W 9 Ws. dist. 2
a Buckeye 9 " " " N 35° W 10 " "

55.50 set post on right bank of River from which
an Ash 6 in. dia. bears N 10° W 23 Ws. dist. 2
a Buckeye 6 " " " N 80° E 6 " "

70.30 set post on right bank of River from which
an Ash 10 in. dia. bears N 54° W 3 Ws. dist. 2
a Buckeye 10 " " " N 44° E 10 " "

74.00 set post on left bank of River from which
a Sycamore 20 in. dia. bears S 50° E 10 Ws. dist. 2
a Do 12 " " " N 17° W 6 " "

81.25 Intersect N. & S. line 20 Ws. N. of post—
Land T. rate. Timber Sugar, Beech, Hack-
berry, Buckeye, Sycamore &c.

West Connected between Sec. 17 & 20

40.62½ set q. sec. post at aver. dist. from which
a Hackberry 20 in. dia. bears N 19° W 4 Ws. dist. 2
a Walnut 4 " " " N 72° E 33 " "

T. 17 N., R. 4 E. 2. Mer. Ind.?

Chas. L. Ho.

81.25 to sec. cor.

West between Sec. 18 & 19

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 74° W 10 Ws. dist. 2

a Hickory 7 " " " S 30° E 27 " "

80.35 Intersect W. Boundary 14 Ws. S. of post -

set post at intersection cor. of Sec. 18 & 19 from which

an Ash 10 in. dia. bears N 30° E 13 Ws. dist. 2

an Elm 20 " " " N 20° W 28 " "

Land T. rate. Timber Ash, Elm, Hickory,
Beech, Sugar &c.

North between Sec. 17 & 18

15.00 a Beech 12 in. dia.

40.00 set of sec. post from which (in Prairie

an Elm 12 in. dia. bears S 44° E 180 Ws. dist. 2

a W. Oak 12 " " " S 56° E 145 " "

56.36 a W. Oak 18 " "

80.00 set post cor. of Sec. 7, 8, 17 & 18 from which

a Locust 20 in. dia. bears N 21° W 25 Ws. dist. 2

a Sugar 24 " " " N 68° E 41 " "

Land T. rate. Timber Sugar, Buckeye &c.

East on Random between Sec. 8 & 17

40.00 set temp. of sec. post

55.50 a Stream 10 Ws. wide cross S.

81.00 Intersect N. & L. line 46 Ws. S. of post -

Land T. rate. Timber Oak

West Corrected between Sec. 8 & 17

40.50 set of sec. post at aver. dist. from which

a Hickory 20 in. dia. bears S 15° E 25 Ws. dist. 2

a Do 20 " " " N 46° W 3 " "

81.00 to sec. cor.

T. 17 N., R. 4 E., S. 2 Mer. Ind.^a

Ch. Sp.

West between Sec. 7 & 18

40.00 set gr. sec. post from which

an Ash 12 in. dia. bears N 27 E 12 Ms. dist. 3

a Hickory 10 " " " S 60 E 22 " "

80.25 Intersect W. Boundary 62 Ms. S. of post—

set post at intersection cor. of Sec. 7 & 18 from which

a Hickory 12 in. dia. bears N 12 E 27 Ms. dist. 3

a Beech 6 " " " S 25 E 13 " "

Land 1st rate. Timber Walnut, Ash, Elm &c.

North between Sec. 7 & 8

27.40 an Ash 30 in. dia.

40.00 set gr. sec. post from which

a Beech 24 in. dia. bears S 56 W 3 Ms. dist. 3

a Do 18 " " " S 59 E 35 " "

49.75 a B Walnut 30 in. dia.

67.00 a Stream 10 Ms. wide course S E

80.00 set post cor. of Sec. 5, 6, 7 & 8 from which

a Beech 14 in. dia. bears S 70 E 5 Ms. dist. 3

a Do 12 " " "

Land first rate. Timber Sugar, Walnut &c.

East on Random between Sec. 5 & 8

40.00 set temp. gr. sec. post

81.10 Intersect N. E. line at post—Land 2nd rate

West Connected between Sec. 5 & 8

40.55 set gr. sec. post at aver. dist. from which

a Beech 8 in. dia. bears N 20 E 20 Ms. dist. 3

an Ironwood 7 " " " N 23 W 33 " "

81.10 to sec. cor.

West between Sec. 6 & 7

40.00 set gr. sec. post from which

a Sugar 12 in. dia. bears S 77 W 18 Ms. dist. 3

a W. Oak 20 " " " S 59 E 18 " "

T. H. N., R. H. O. L. Mer. Ind.
Chr. Sk.

54.00 a Stream 10 Mts. wide runs SE

80.34 Intersect W. Boundary 20 Mts. S. of post —
set post at intersection cor. of sec. 6 & 7 from which
a Beech 20 in. diam. bears S 18 E 18 Mts. dist. &
a Mulberry 8 " " " N 51 W 37 " "
Land L. rate. Timber Sugar, Beech, Oak &c.

North between Sec. 5 & 6

19.04 a W. Oak 30 in. diam.

40.00 at green post from which
a W. Oak 16 in. diam. bears N 10 W 26 Mts. dist. &
a Beech 14 " " " S 20 E 29 " "

69.80 a W. Oak 14 " "

83.44 Intersect W. Boundary 150 Mts. E. of post —
set post at intersection cor. of sec. 5 & 6 from which
a Beech 12 in. diam. bears N 52 W 32 Mts. dist. &
a Do 10 " " " S 71 E 16 " "
Land T. rate. Timber Sugar, Beech &c.

In carrying up the second tier of sections an
out has been missed on the Correction line,
which occasioned me a good deal of trouble.
I run and remeasured my own lines over
again, and then had to go back on the Cor-
rection line, and found it 5.00 Chrs. too short
in this mile.

Meanders of White River. Left bank up
Stream. Beginning at post in W. Boundary,
thence:

Course.	Chr. Sk.	Remarks.
S 67 E	5.50	In Sec. 30
S 55 E	8.50	
S 77 E	7.00	Point of Island
N 84 E	10.50	

T. 17 N., R. 4 E., T. 2, Mer. Ind.?

Courses	Chs. Sp.	Remarks.
N67E	5.00	Head of Island
N57E	7.50	
N35E	13.00	
N27W	7.50	
N17 $\frac{1}{4}$ W	15.40	to post in line between Sec. 19 & 30
N7W	3.00	In Sec. 19
N9E	17.00	
N18E	18.00	
N62E	16.00	
N82E	12.50	
N68E	2.20	to post in line between Sec. 19 & 20
N62E	10.00	In Sec. 20
N34E	8.00	
N17E	19.50	
N30 $\frac{1}{4}$ E	3.35	to post in line between Sec. 17 & 20
N58E	6.50	In Sec. 17
N42E	2.50	
N70E	4.00	Point of Island
N80E	13.00	
S49E	4.00	Head of Island
S22E	6.90	to post in line between Sec. 17 & 20
South	5.00	In Sec. 20
S3E	12.50	
S22E	3.00	
S50E	7.00	
S71E	3.50	
N70E	5.00	
N42E	6.00	at 0.50 Ch. a Stream 5 W. wide ft. S E
N24E	12.00	
N1E	5.50	
N18W	3.13	to post in line between Sec. 17 & 20

167

T. 17 N., R. 4 E., T. 2 Mer. Ind.

Courses Ch. Sec.

Remarks.

N 15 E 15.00 In Sec. 17

N 42 1/4 E 5.20 to post in line between Sec. 16 & 17

N 34 E 10.00 In Sec. 16

N 65 E 11.50

N 84 E 22.00

N 66 E 16.50 High Bluffs

N 45 E 9.50

N 27 E 5.50

N 4 E 7.50

N 12 1/2 W 13.50 a Stream 10 Mts. wide course N E

N 32 W 9.50

N 28 1/2 W 3.15 to post in line between Sec. 9 & 16

N 11 W 6.50 In Sec. 9

N 1 E 9.50

N 16 E 25.00

North 4.00

N 10 E 4.00

N 20 E 13.50

N 37 E 8.50

N 49 E 7.00 at 4.00 Chs. a Stream 10 Mts. wide fr. N E

N 39 E 1.50 to post in line between Sec. 9 & 10

N 56 1/4 E 12.50 In Sec. 10 - to post in line betw. Sec. 3 & 10

N 49 E 9.00 In Sec. 3 - at 3.50 Chs. a Stream
5 Mts. wide from N E

N 20 E 6.00 at 5.00 Chs. a Stream 5 Mts. wide fr. E.

N 37 W 15.00

N 39 W 20.00

N 10 W 6.50 Point of Island

N 16 E 16.00

N 40 E 6.00 Head of Is

N 49 E 6.00

N 32 E 6.00

T. 17 N., R. 4 E. 2. Mer. Ind.

Counes Ch. Sp.

Remarks.

N45E 8.20 to port in N. Boundary.

Right bank down stream. Beginning at port in N. Boundary, thence.

S48W 4.50 In Sec. 3

S39W 10.00

S45W 6.50 at 5.25 Ch. a Stream 10 W. wide fr. W.

S26W 7.00 at 6.00 " a Do 20 " " " W

South 2.50

S6W 3.50

S12W 8.00

S7E 6.00

S29E 7.00

S46E 5.50

S33E 10.00

S10E 5.50

S12W 10.50

S52W 6.00

S65W 9.43 to port cor. of sec. 3, 4, 9 & 10

S37W 5.50 In Sec. 9

S54W 8.50 at 3.00 Ch. a Stream 10 W. wide from NW

S28W 18.00

S14W 3.00

S27W 8.50 at 5.00 Ch. Head of Island

S11W 30.50

S74E 14.50 to port in line between Sec. 9 & 10

S18E 5.50 In Sec. 10

S33E 8.50

S18E 3.00

S9E 9.00

S12W 10.50

S48W 6.50

S66W 8.50

S47W 2.50

Complete

T. 17 N., R. 4 E., 2^d Mer. Ind^a.

Courses & Ch. Sho.	Remarks.	
S 72° W 12.00		
N 77° W 5.00		
S 81° W 12.00		
S 62° W 5.00		
S 74° W 7.50		
S 49° W 4.79	to port in line between Sec. 16 & 17	
S 50° W 7.00	In Sec. 17	
S 31° W 5.00		
S 11° W 6.00		
S 18° W 4.50		
S 5° W 5.30	to port in line between Sec. 17 & 20	
S 2° W 9.50	In Sec. 20	
S 26° W 8.50		
S 46° W 5.00		
S 87° W 4.00		
N 38° W 6.50		
N 5° E 9.00		
N 2° E 7.00	to port in line between Sec. 17 & 20	
N 23° W 9.00	In Sec. 17	
N 57° W 3.00		
N 45° W 4.00	at 0.75 Ch. a Stream 15 Mts. wide from N.	
N 88° W 10.00		
S 70° W 13.00		
S 44° W 12.33	to port in line between Sec. 17 & 20	
S 29° W 4.50	In Sec. 20	
S 13° W 4.50		
S 24° W 6.50		
S 9° W 5.00		
S 29° W 5.50		
S 48° W 4.00		
S 65½° W 3.65	to port in line between Sec. 19 & 20	

T. 17 N., R. 4 E. 2.^d Mer. Ind.^a

Courses	Ch. Lk.	Remarks.
S 71° W	4.50	In Sec. 19
S 85° W	8.50	
S 73° W	11.50	
S 51° W	8.00	Ahead of Island
S 30° W	20.00	
S 2 E	10.50	Point of Island
S 10° W	8.50	
S 9½ E	4.90	to post in line between Sec. 19 & 30
S 14 E	17.00	In Sec. 30
S 28° W	6.00	
S 47° W	10.00	
S 79° W	8.00	
N 86° W	11.50	
N 65¾ W	15.50	to post in West Boundary.
Surveyed in 1821 by W. B. Laughlin Deputy Surveyor.		

I certify that the foregoing transcript of Field Notes of the survey of Township N. 17 North, of Range N. 4 East of the 2.^d Principal Meridian in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Dec. 16. 1844.

William Johnston
Sur. Genl.